

Poker Cards Analysis – May 2024

The Directors

Entain Plc

This is to confirm that iTech Labs has examined the game logs for Poker games for the period **May 01, 2024**, to **May 31, 2024** as recorded by the respective game servers and analyzed the Poker cards for statistical randomness. The results of the analysis are given below.

For details on the gaming sites serviced by the Entain Plc game servers and used in this audit refer to the List.

1. Poker hand types statistics

These calculations were done for Royal Flush, Straight Flush, Four of a Kind, Full House, Flush, Straight, 3 of a Kind, 2 pairs, 1 Pair, High Card.

The Poker hand types analysis involved creating subsets of data and conducting Chi-square tests on each subset.

The null hypothesis for the chi-square test is that the observed frequencies of each type of hand matches the theoretical values for a deck that has been shuffled using a perfect random number generator. The p-values observed in these multiple tests are expected to follow a uniform distribution for the range 0.0 to 1.0.

The analysis performs a KS Test (Kolmogorov-Smirnov test) for uniform distribution on the observed pvalues, and the combined p-value result of this test is taken as the final result of the Poker hand types statistics tests.

Test No.	DOF	ChiSqr	P-Value
1	9	13.82	0.12894
2	9	10.11	0.34181
3	9	17.74 💍	0.03826
4	9	9.25	0.41461
5	9	8.09	0.52498
6	9	15.82	0.07076
7	9	15.25	0.08442
8	9	4.33	0.88871
9	9	5.62	0.77724
10	9	8.38	0.49633
11	9	8.75	0.46066
12	9	8.44	0.49017
13	9	4.50	0.87559
14	9	8.44	0.49045
15	9	10.93	0.28076
16	9	6.58	0.68103
17	9	7.79	0.55541
18	9	11.43	0.24726
19	9	2.50	0.98077
20	9	7.02	0.63476
21	9	5.25	0.81206
22	9	11.33	0.25348
23	9	12.13	0.20600
24	9	6.17	0.72250
25	9	8.84	0.45205
26	9	10.99	0.27611
27	9	3.77	0.92608

1.1 Poker hand types statistics for 52 cards deck:

28	9	12.22	0.20142
29	9	6.88	0.64961
30	9	9.47	0.39475
31	9	11.90	0.21905
32	9	7.39	0.59630
33	9	14.64	0.10120
34	9	5.86	0.75368
35	9	5.62	0.77698
36	9	10.31	0.32595
37	9	13.96	0.12390
38	9	3.48	0.94223
39	9	14.54	0.10437
40	9	7.14	0.62303
41	9	5 39	0.79901
42	9	7.22	0.61467
42	9	8 44	0.01107
43	9	16.36	0.49032
44	9	0.30	0.00974
45	9	10.97	0.49009
40	3	11.22	0.20703
4/	9	II.33	0.25390
48	9	5.33	0.80458
49	9	8.//	0.45918
50	9	3.96	0.91423
51	9	9.19	0.41985
52	9	5.07	0.82806
53	9	3.50	0.94114
54	9	4.43	0.88089
55	9	14.12	0.11/99
L 6		6 / 5	0.69407
50	9	4.20	0.00406
57	9	4.39	0.88406
50 57 58	9 9 9	4.39 4.04	0.88406
50 57 58 59	9 9 9 9	4.39 4.04 4.91	0.88406 0.90879 0.84201
50 57 58 59 60	9 9 9 9 9	4.39 4.04 4.91 6.30	0.88406 0.90879 0.84201 0.70925
50 57 58 59 60 61	9 9 9 9 9 9	4.39 4.04 4.91 6.30 7.20	0.88406 0.90879 0.84201 0.70925 0.61617
50 57 58 59 60 61 62	9 9 9 9 9 9 9 9	4.39 4.04 4.91 6.30 7.20 10.12	0.88406 0.90879 0.84201 0.70925 0.61617 0.34102
56 57 58 59 60 61 61 62 63	9 9 9 9 9 9 9 9 9 9	4.39 4.04 4.91 6.30 7.20 10.12 1.30	0.88406 0.90879 0.84201 0.70925 0.61617 0.34102 0.99836
56 57 58 59 60 61 62 63 64	9 9 9 9 9 9 9 9 9 9 9 9	0.43 4.39 4.04 4.91 6.30 7.20 10.12 1.30 11.83	0.88406 0.90879 0.84201 0.70925 0.61617 0.34102 0.99836 0.22305
36 57 58 59 60 61 62 63 64 65	9 9 9 9 9 9 9 9 9 9 9 9 9	0.43 4.39 4.04 4.91 6.30 7.20 10.12 1.30 11.83 3.56	0.88406 0.90879 0.84201 0.70925 0.61617 0.34102 0.99836 0.22305 0.93800
36 57 58 59 60 61 62 63 64 65 66	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0.43 4.39 4.04 4.91 6.30 7.20 10.12 1.30 11.83 3.56 8.21	0.88406 0.90879 0.84201 0.70925 0.61617 0.34102 0.99836 0.22305 0.93800 0.51343
56 57 58 59 60 61 62 63 64 65 66 67	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0.43 4.39 4.04 4.91 6.30 7.20 10.12 1.30 11.83 3.56 8.21 12.03	0.88406 0.90879 0.84201 0.70925 0.61617 0.34102 0.99836 0.22305 0.93800 0.51343 0.21143
56 57 58 59 60 61 62 63 64 65 66 67 68	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0.43 4.39 4.04 4.91 6.30 7.20 10.12 1.30 11.83 3.56 8.21 12.03 17.36	0.88406 0.90879 0.84201 0.70925 0.61617 0.34102 0.99836 0.22305 0.93800 0.51343 0.21143 0.04335
56 57 58 59 60 61 62 63 64 65 66 67 68 69	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0.43 4.39 4.04 4.91 6.30 7.20 10.12 1.30 11.83 3.56 8.21 12.03 17.36 8.72	0.88406 0.90879 0.84201 0.70925 0.61617 0.34102 0.99836 0.22305 0.93800 0.51343 0.21143 0.21143 0.04335 0.46333
56 57 58 59 60 61 62 63 64 65 66 67 68 69 70	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0.43 4.39 4.04 4.91 6.30 7.20 10.12 1.30 11.83 3.56 8.21 12.03 17.36 8.72 16.50	0.88406 0.90879 0.84201 0.70925 0.61617 0.34102 0.99836 0.22305 0.93800 0.51343 0.21143 0.21143 0.04335 0.46333 0.05718
36 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0.43 4.39 4.04 4.91 6.30 7.20 10.12 1.30 11.83 3.56 8.21 12.03 17.36 8.72 16.50 4.85	0.88406 0.90879 0.84201 0.70925 0.61617 0.34102 0.99836 0.22305 0.93800 0.51343 0.21143 0.04335 0.46333 0.05718 0.84681
56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	4.39 4.39 4.04 4.91 6.30 7.20 10.12 1.30 11.83 3.56 8.21 12.03 17.36 8.72 16.50 4.85 14.94	0.88406 0.90879 0.84201 0.70925 0.61617 0.34102 0.99836 0.22305 0.93800 0.51343 0.21143 0.04335 0.46333 0.05718 0.84681 0.09259
56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0.43 4.39 4.04 4.91 6.30 7.20 10.12 1.30 11.83 3.56 8.21 12.03 17.36 8.72 16.50 4.85 14.94 13.23	0.88406 0.90879 0.84201 0.70925 0.61617 0.34102 0.99836 0.22305 0.93800 0.51343 0.21143 0.21143 0.04335 0.46333 0.05718 0.84681 0.09259 0.15227
56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	4.39 4.39 4.04 4.91 6.30 7.20 10.12 1.30 11.83 3.56 8.21 12.03 17.36 8.72 16.50 4.85 14.94 13.23 3.53	0.88406 0.90879 0.84201 0.70925 0.61617 0.34102 0.99836 0.22305 0.93800 0.51343 0.21143 0.04335 0.46333 0.46333 0.05718 0.84681 0.09259 0.15227 0.93936
36 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0.43 4.39 4.04 4.91 6.30 7.20 10.12 1.30 11.83 3.56 8.21 12.03 17.36 8.72 16.50 4.85 14.94 13.23 3.53 16.32	0.88406 0.90879 0.84201 0.70925 0.61617 0.34102 0.99836 0.22305 0.93800 0.51343 0.21143 0.04335 0.46333 0.05718 0.84681 0.09259 0.15227 0.93936 0.06055
36 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0.43 4.39 4.04 4.91 6.30 7.20 10.12 1.30 11.83 3.56 8.21 12.03 17.36 8.72 16.50 4.85 14.94 13.23 3.53 16.32 9.74	0.88406 0.90879 0.84201 0.70925 0.61617 0.34102 0.99836 0.22305 0.93800 0.51343 0.21143 0.21143 0.04335 0.46333 0.05718 0.84681 0.09259 0.15227 0.93936 0.06055 0.37198
56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0.43 4.39 4.04 4.91 6.30 7.20 10.12 1.30 11.83 3.56 8.21 12.03 17.36 8.72 16.50 4.85 14.94 13.23 3.53 16.32 9.74 9.13	0.88406 0.90879 0.84201 0.70925 0.61617 0.34102 0.99836 0.22305 0.93800 0.51343 0.21143 0.04335 0.46333 0.05718 0.84681 0.09259 0.15227 0.93936 0.06055 0.37198 0.42494
56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0.43 4.39 4.04 4.91 6.30 7.20 10.12 1.30 11.83 3.56 8.21 12.03 17.36 8.72 16.50 4.85 14.94 13.23 3.53 16.32 9.74 9.13 4.33	0.88406 0.90879 0.84201 0.70925 0.61617 0.34102 0.99836 0.22305 0.93800 0.51343 0.21143 0.04335 0.46333 0.05718 0.84681 0.09259 0.15227 0.93936 0.06055 0.37198 0.42494 0.88821
36 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0.43 4.39 4.04 4.91 6.30 7.20 10.12 1.30 11.83 3.56 8.21 12.03 17.36 8.72 16.50 4.85 14.94 13.23 3.53 16.32 9.74 9.13 4.33 6.21	0.88406 0.90879 0.84201 0.70925 0.61617 0.34102 0.99836 0.22305 0.93800 0.51343 0.21143 0.21143 0.04335 0.46333 0.05718 0.84681 0.09259 0.15227 0.93936 0.06055 0.37198 0.42494 0.88821 0.71884
36 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0.43 4.39 4.04 4.91 6.30 7.20 10.12 1.30 11.83 3.56 8.21 12.03 17.36 8.72 16.50 4.85 14.94 13.23 3.53 16.32 9.74 9.13 4.33 6.21 10.47	0.88406 0.90879 0.84201 0.70925 0.61617 0.34102 0.99836 0.22305 0.93800 0.51343 0.21143 0.21143 0.04335 0.46333 0.05718 0.84681 0.09259 0.15227 0.93936 0.06055 0.37198 0.42494 0.88821 0.71884 0.31393
56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0.43 4.39 4.04 4.91 6.30 7.20 10.12 1.30 11.83 3.56 8.21 12.03 17.36 8.72 16.50 4.85 14.94 13.23 3.53 16.32 9.74 9.13 4.33 6.21 10.47 7.09	0.88406 0.90879 0.84201 0.70925 0.61617 0.34102 0.99836 0.22305 0.93800 0.51343 0.21143 0.04335 0.46333 0.05718 0.84681 0.09259 0.15227 0.93936 0.06055 0.37198 0.42494 0.88821 0.71884 0.31393 0.62767
36 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0.43 4.39 4.04 4.91 6.30 7.20 10.12 1.30 11.83 3.56 8.21 12.03 17.36 8.72 16.50 4.85 14.94 13.23 3.53 16.32 9.74 9.13 4.33 6.21 10.47 7.09 7.71	0.88406 0.90879 0.84201 0.70925 0.61617 0.34102 0.99836 0.22305 0.93800 0.51343 0.21143 0.21143 0.04335 0.46333 0.05718 0.84681 0.09259 0.15227 0.93936 0.06055 0.37198 0.42494 0.88821 0.71884 0.31393 0.62767 0.56331

84	9	7.10	0.62621
85	9	10.76	0.29261
86	9	2.48	0.98139
87	9	6.57	0.68182
88	9	3.54	0.93878
89	9	8.79	0.45731
90	9	3.62	0.93473
91	9	14.75	0.09801
92	9	2.26	0.98674
93	9	5.81	0.75921
94	9	7.40	0.59590
95	9	4.10	0.90498
96	9	7.15	0.62126
97	9	4.23	0.89586
98	9	3.96	0.91374
99	9	16.26	0.06156
100	9	12.10	0.20751
Combined P-va	alue for all tests	(Using KS method)	0.43976

1) The P-values are observed probabilities from the Chi-Square tests. The last row shows the result of the KS Test performed on the p-values for all Chi-Square tests, where there are sufficient data.

1.2 Poker hand types statistics for 36 cards deck:

Notes

- 1) Since the number of samples available was insufficient to ensure at least 5 samples in the lowest probability hand type, (Royal Flush), the chi-square test has been performed by merging the Royal Flush and Straight Flush categories.
- As the total number of tests (2) is insufficient to perform a meaningful KS Test, individual p-values from these tests 2) are carried over to the next stage for combining using the Holm's method.
- Since the number of games played each month using 36 card decks is small, the number of samples available this 3) month as well as a few previous months were insufficient to perform a meaningful statistical analysis. Hence the analysis performed this month was done using the cumulative data for the last 10 months - i.e July 2023 to May 2024.

2. Poker rank statistics

The Poker rank analysis aims to establish that the rank of the cards in each position was equally distributed in one of the 13 possible ranks (2, 3, 4, 5, 6, 7, 8, 9, 10, J, Q, K, A) for a 52 card deck and 9 ranks (6, 7, 8, 9, 10, J, Q, K, A) for a 36 card deck.

The Poker rank analysis involved creating subsets of data and conducting Chi-square tests on each subset. The analysis performs a KS Test (Kolmogorov-Smirnov test) for uniform distribution on the observed pvalues, and the combined p-value result of this test is taken as the final result of the Ranks statistics tests.

Test No.	DOF	ChiSqr	P-Value
1	84	99.50	0.11906
2	84	94.45	0.20441
3	84	96.58	0.16437
4	84	65.04	0.93793
5	84	78.70	0.64295
6	84	53.65	0.99599

2.1 Poker rank statistics for 52 cards deck:

7	84	77.63	0.67452
8	84	82.24	0.53407
9	84	73.96	0.77516
10	84	86.54	0.40310
11	84	94.62	0.20095
12	84	64.06	0.94824
13	84	85.19	0.44308
14	84	79.28	0.62546
15	84	87.75	0.36815
16	84	72.45	0.81141
17	84	56.73	0.99021
18	84	88.46	0.34861
19	84	101.45	0.09448
20	84	77.14	0.68879
21	84	108.85	0.03548
22	84	70.28	0.85765
23	84	91.99	0.25826
24	84	85.33	0.43913
25	84	79.08	0.63138
26	84	85.56	0.43215
27	84	72.84	0.80239
28	84	59.81	0.97883
20	84	94.05	0.21255
30	84	104 28	0.06627
31	84	61.27	0.00027
32	84	69.82	0.86647
32	84	89.78	0.31303
34	84	86.28	0.31303
35	84	00.20	0.1002
36	84	101 31	0.19777
37	84	80.70	0.55010
38	84	74 45	0.76271
30	84	61 55	0.76271
40	84	96 54	0.90001
41	84	68.86	0.10310
42	84	75 76	0.00500
42	0 1 94	73.70	0.72705
43	04	100.29	0.00909
44	04	109.20	0.03330
45 76	04	09.03	0.33299
40	0/	71 72	
47	84	71.73	0.02702
47	84 84	71.73 91.04	0.28098
47 48 40	84 84 84	71.73 91.04 89.09	0.82762
47 48 49	84 84 84 84	71.73 91.04 89.09 91.08	0.82762 0.28098 0.33133 0.28016
47 48 49 50	84 84 84 84 84 84	71.73 91.04 89.09 91.08 84.87	0.82762 0.28098 0.33133 0.28016 0.45305
47 48 49 50 51	84 84 84 84 84 84 84	71.73 91.04 89.09 91.08 84.87 85.18	0.82762 0.28098 0.33133 0.28016 0.45305 0.44344
47 48 49 50 51 52 52	84 84 84 84 84 84 84 84	71.73 91.04 89.09 91.08 84.87 85.18 72.97	0.82762 0.28098 0.33133 0.28016 0.45305 0.44344 0.79931
47 48 49 50 51 52 53	84 84 84 84 84 84 84 84 84	71.73 91.04 89.09 91.08 84.87 85.18 72.97 68.07	0.82762 0.28098 0.33133 0.28016 0.45305 0.44344 0.79931 0.89688
47 48 49 50 51 52 53 53 54	84 84 84 84 84 84 84 84 84 84 84 84 84 84 84 84 84 84 84	71.73 91.04 89.09 91.08 84.87 85.18 72.97 68.07 72.87	0.82762 0.28098 0.33133 0.28016 0.45305 0.44344 0.79931 0.89688 0.80171
47 48 49 50 51 52 53 54 55 55	84 84 84 84 84 84 84 84 84 84 84 84 84	71.73 91.04 89.09 91.08 84.87 85.18 72.97 68.07 72.87 85.51	0.82762 0.28098 0.33133 0.28016 0.45305 0.44344 0.79931 0.89688 0.80171 0.43367
47 48 49 50 51 52 53 54 55 55 56	84 84	71.73 91.04 89.09 91.08 84.87 85.18 72.97 68.07 72.87 85.51 95.63	0.82762 0.28098 0.33133 0.28016 0.45305 0.44344 0.79931 0.89688 0.80171 0.43367 0.18148
47 48 49 50 51 52 53 53 54 55 56 57	84 84	71.73 91.04 89.09 91.08 84.87 85.18 72.97 68.07 72.87 85.51 95.63 95.17	0.82762 0.28098 0.33133 0.28016 0.45305 0.44344 0.79931 0.89688 0.80171 0.43367 0.18148 0.19011
47 48 49 50 51 52 53 54 55 56 57 58	84 84	71.73 91.04 89.09 91.08 84.87 85.18 72.97 68.07 72.87 85.51 95.63 95.17 93.30	0.82762 0.28098 0.33133 0.28016 0.45305 0.44344 0.79931 0.89688 0.80171 0.43367 0.18148 0.19011 0.22850
47 48 49 50 51 52 53 54 55 56 57 58 59	84 84	71.73 91.04 89.09 91.08 84.87 85.18 72.97 68.07 72.87 85.51 95.63 95.63 95.17 93.30 70.65	0.82762 0.28098 0.33133 0.28016 0.45305 0.44344 0.79931 0.89688 0.80171 0.43367 0.18148 0.19011 0.22850 0.85033
47 48 49 50 51 52 53 54 55 56 57 56 57 58 59 60	84 84	71.73 91.04 89.09 91.08 84.87 85.18 72.97 68.07 72.87 85.51 95.63 95.63 95.17 93.30 70.65 85.36	0.82762 0.28098 0.33133 0.28016 0.45305 0.44344 0.79931 0.89688 0.80171 0.43367 0.18148 0.19011 0.22850 0.85033 0.43817
47 48 49 50 51 52 53 54 55 56 57 56 57 58 59 60 61	84 84	71.73 91.04 89.09 91.08 84.87 85.18 72.97 68.07 72.87 85.51 95.63 95.63 95.17 93.30 70.65 85.36 72.30	0.82762 0.28098 0.33133 0.28016 0.45305 0.44344 0.79931 0.89688 0.80171 0.43367 0.18148 0.19011 0.22850 0.85033 0.43817 0.81495

63	84	72.05	0.82063
64	84	82.43	0.52792
65	84	66.29	0.92275
66	84	94.06	0.21249
67	84	71.10	0.84111
68	84	71.33	0.83634
69	84	73.11	0.79613
70	84	77.06	0.69104
71	84	68.78	0.88519
72	84	80.41	0.59078
73	84	86.36	0.40841
74	84	78.43	0.65099
75	84	108.90	0.03525
76	84	91.30	0.27460
77	84	79.02	0.63314
78	84	98.67	0.13079
79	84	74.66	0.75719
80	84	96.30	0.16930
81	84	62.50	0.96188
82	84	103.17	0.07635
83	84	71.32	0.83648
84	84	94.60	0.20135
85	84	84.41	0.46680
86	84	102.71	0.08088
87	84	94.60	0.20133
88	84	66.28	0.92286
89	84	65.17	0.93644
90	84	100.88	0.10126
91	84	75.75	0.72796
92	84	67.93	0.89919
93	84	63.37	0.95467
94	84	88.08	0.35904
95	84	67.25	0.90946
96	84	101.82	0.09036
97	84	74.61	0.75844
98	84	86.27	0.41106
99	84	98.60	0.13184
100	84	102.19	0.08631
Combined P-v	alue for all test	s (Using KS method)	0 18899
Section Call V			0.10055

1) The P-values are observed probabilities from the Chi-Square tests. The last row shows the result of the KS Test performed on the p-values for all Chi-Square tests, where there are sufficient data.

2.2 Poker rank statistics for 36 cards deck:

Test No.	Positions	DOF	ChiSqr	P-Value		
1	7	56	72.74	0.06570		
2	7	56	50.37	0.68714		
3	7	56	48.76	0.74276		
4	7	56	67.86	0.13301		
5	7	56	44.19	0.87312		
6	7	56	51.95	0.62888		
7	7	56	66.49	0.15920		
8	7	56	63.76	0.22238		
Combined P-v	N/A (Insufficient data)					

Notes:

- 1) As the total number of tests (8) is insufficient to perform a meaningful KS Test, individual p-values from these tests are carried over to the next stage for combining using the Holm's method.
- 2) Since the number of games played each month using 36 card decks is small, the number of samples available this month as well as a few previous months were insufficient to perform a meaningful statistical analysis. Hence the analysis performed this month was done using the cumulative data for the last 10 months i.e July 2023 to May 2024.

3. Poker suits statistics

The Poker suits analysis aims to verify that that the cards dealt exhibit an equal probability of all 4 suits (Clubs, Diamonds, Hearts and Spades) in all positions.

The Poker suits analysis involved creating subsets of data and conducting Chi-square tests on each subset. The analysis performs a KS Test (Kolmogorov-Smirnov test) for uniform distribution on the observed p-values, and the combined p-value result of this test is taken as the final result of the Suits statistics tests.

Test No.	Positions	DOF	ChiSar	P-Value
1	7	21	17.70	0.66814
2	7	21	27.05	0.16906
3	7	21	14.12	0.86428
4	7	21	21.84	0.40850
5	7	21	12.25	0.93272
6	7	21	28.79	0.11907
7	7	21	19.57	0.54869
8	7	21	22.52	0.37004
9	7	21	14.91	0.82727
10	7	21	14.32	0.85529
11	7	21	27.16	0.16564
12	7	21	17.57	0.67585
13	7	21	14.20	0.86091
14	7	21	23.57	0.31433
15	7	21	10.92	0.96438
16	7	21	31.13	0.07148
17	7	21	9.94	0.97970
18	7	21	21.97	0.40117
19	7	21	18.81	0.59715
20	7	21	23.54	0.31601
21	7	21	26.72	0.18046
22	7	21	21.87	0.40705
23	7	21	15.61	0.79101

3.1 Poker suits statistics for 52 cards deck:

24	7	21	JZ 83	0 20116															
27	7	21	23.03	0.00007															
25	7	21	9.64	0.96067															
26	/	21	26.86	0.17556															
2/	/	21	11.34	0.95583															
28	7	21	33.05	0.04571															
29	7	21	21.42	0.43382															
30	7	21	31.16	0.07110															
31	7	21	16.83	0.72147															
32	7	21	16.91	0.71632															
33	7	21	22.07	0.39532															
34	7	21	29.09	0.11192															
35	7	21	19.18	0.57363															
36	7	21	26.85	0.17602															
37	7	21	14.63	0.84088															
38	7	21	36.05	0.02161															
39	7	21	11.59	0.94999															
40	7	21	18.72	0.60335															
41	7	21	35.84	0.02281															
42	7	21	20.37	0 49823															
43	7	21	20.37	0.43352															
44	7	21	12.80	0.15552															
45	7	21	20.20	0.91303															
45	7	21	29.30	0.10702															
46	/	21	23.21	0.33308															
4/	/	21	21.49	0.42937															
48	/	21	12.21	0.93368															
49	/	21	12.04	0.93850															
50	/	21	15.40	0.80240															
51	7	21	20.64	0.48117															
52	7	21	17.78	0.66318															
52 53	7 7	21 21	17.78 29.70	0.66318 0.09813															
52 53 54	7 7 7	21 21 21	17.78 29.70 21.03	0.66318 0.09813 0.45723															
52 53 54 55	7 7 7 7 7	21 21 21 21 21	17.78 29.70 21.03 11.26	0.66318 0.09813 0.45723 0.95752															
52 53 54 55 56	7 7 7 7 7 7	21 21 21 21 21 21 21	17.78 29.70 21.03 11.26 8.67	0.66318 0.09813 0.45723 0.95752 0.99156															
52 53 54 55 56 57	7 7 7 7 7 7 7	21 21 21 21 21 21 21 21	17.78 29.70 21.03 11.26 8.67 31.98	0.66318 0.09813 0.45723 0.95752 0.99156 0.05888															
52 53 54 55 56 57 58	7 7 7 7 7 7 7 7 7	21 21 21 21 21 21 21 21 21	17.78 29.70 21.03 11.26 8.67 31.98 19.99	0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210															
52 53 54 55 56 57 58 58 59	7 7 7 7 7 7 7 7 7 7	21 21 21 21 21 21 21 21 21 21 21	17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47	0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853															
52 53 54 55 56 57 58 59 60	7 7 7 7 7 7 7 7 7 7 7	21 21 21 21 21 21 21 21 21 21 21 21	17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75	0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402															
52 53 54 55 56 57 58 59 60 61	7 7 7 7 7 7 7 7 7 7 7 7 7	21 21 21 21 21 21 21 21 21 21 21 21	17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18	0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489															
52 53 54 55 56 57 58 59 60 61 61 62	7 7 7 7 7 7 7 7 7 7 7 7 7 7	21 21 21 21 21 21 21 21 21 21 21 21 21 2	17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52	0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176															
52 53 54 55 56 57 58 59 60 61 61 62 63	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	21 21 21 21 21 21 21 21 21 21 21 21 21 2	17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26	0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266															
52 53 54 55 56 57 58 59 60 61 61 62 63 64	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	21 21 21 21 21 21 21 21 21 21 21 21 21 2	17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10	0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494															
52 53 54 55 56 57 58 59 60 61 61 62 63 63 64 65	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	21 21 21 21 21 21 21 21 21 21 21 21 21 2	17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51	0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649															
52 53 54 55 56 57 58 59 60 61 61 62 63 63 64 65 66	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	21 21 21 21 21 21 21 21 21 21 21 21 21 2	17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00	0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279															
52 53 54 55 56 57 58 59 60 61 61 62 63 63 64 65 66 66 67	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	21 21 21 21 21 21 21 21 21 21 21 21 21 2	17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72	0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538															
52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	21 21 21 21 21 21 21 21 21 21 21 21 21 2	17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91	0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470															
52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	21 21 21 21 21 21 21 21 21 21 21 21 21 2	17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04	0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749															
52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	21 21 21 21 21 21 21 21 21 21 21 21 21 2	17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47	0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878															
52 53 54 55 56 57 58 59 60 61 61 62 63 63 64 65 66 67 68 68 69 70 71	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	21 21 21 21 21 21 21 21 21 21	17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47 20.67	0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878 0.47894															
52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	21 21 21 21 21	17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47 20.67 12.97	0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878 0.47894 0.90976															
52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	21 21	17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47 20.67 12.97 17.72	0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878 0.47894 0.90976 0.66615															
52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	21 21	17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47 20.67 12.97 17.73 20.99	0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878 0.47894 0.90976 0.66616															
52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	21 21	17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47 20.67 12.97 17.73 20.88	0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878 0.47894 0.90976 0.66616 0.46628															
52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75	7 7 <tr td=""> <!--</td--><td>21 2</td><td>17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47 20.67 12.97 17.73 20.88 19.89</td><td>0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878 0.47894 0.90976 0.66616 0.46628 0.52819</td></tr> <tr><td>52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76</td><td>7 7 <tr td=""> <!--</td--><td>21 21 <td>17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47 20.67 12.97 17.73 20.88 19.89 26.83</td><td>0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878 0.47894 0.90976 0.66616 0.46628 0.52819 0.17669</td></td></tr><tr><td>52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77</td><td>7 7 <tr td=""> <!--</td--><td>21 21</td><td>17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47 20.67 12.97 17.73 20.88 19.89 26.83 18.94</td><td>0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878 0.47894 0.90976 0.66616 0.46628 0.52819 0.17669 0.58871</td></tr><tr><td>52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78</td><td>7 7 <tr td=""> <!--</td--><td>21 21</td><td>17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47 20.67 12.97 17.73 20.88 19.89 26.83 18.94 31.55</td><td>0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878 0.47894 0.90976 0.66616 0.46628 0.52819 0.17669 0.58871 0.06501</td></tr></td></tr></td></tr></td></tr>	21 2	17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47 20.67 12.97 17.73 20.88 19.89	0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878 0.47894 0.90976 0.66616 0.46628 0.52819	52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76	7 7 <tr td=""> <!--</td--><td>21 21 <td>17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47 20.67 12.97 17.73 20.88 19.89 26.83</td><td>0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878 0.47894 0.90976 0.66616 0.46628 0.52819 0.17669</td></td></tr> <tr><td>52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77</td><td>7 7 <tr td=""> <!--</td--><td>21 21</td><td>17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47 20.67 12.97 17.73 20.88 19.89 26.83 18.94</td><td>0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878 0.47894 0.90976 0.66616 0.46628 0.52819 0.17669 0.58871</td></tr><tr><td>52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78</td><td>7 7 <tr td=""> <!--</td--><td>21 21</td><td>17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47 20.67 12.97 17.73 20.88 19.89 26.83 18.94 31.55</td><td>0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878 0.47894 0.90976 0.66616 0.46628 0.52819 0.17669 0.58871 0.06501</td></tr></td></tr></td></tr>	21 21 <td>17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47 20.67 12.97 17.73 20.88 19.89 26.83</td> <td>0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878 0.47894 0.90976 0.66616 0.46628 0.52819 0.17669</td>	17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47 20.67 12.97 17.73 20.88 19.89 26.83	0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878 0.47894 0.90976 0.66616 0.46628 0.52819 0.17669	52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77	7 7 <tr td=""> <!--</td--><td>21 21</td><td>17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47 20.67 12.97 17.73 20.88 19.89 26.83 18.94</td><td>0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878 0.47894 0.90976 0.66616 0.46628 0.52819 0.17669 0.58871</td></tr> <tr><td>52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78</td><td>7 7 <tr td=""> <!--</td--><td>21 21</td><td>17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47 20.67 12.97 17.73 20.88 19.89 26.83 18.94 31.55</td><td>0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878 0.47894 0.90976 0.66616 0.46628 0.52819 0.17669 0.58871 0.06501</td></tr></td></tr>	21 21	17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47 20.67 12.97 17.73 20.88 19.89 26.83 18.94	0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878 0.47894 0.90976 0.66616 0.46628 0.52819 0.17669 0.58871	52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78	7 7 <tr td=""> <!--</td--><td>21 21</td><td>17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47 20.67 12.97 17.73 20.88 19.89 26.83 18.94 31.55</td><td>0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878 0.47894 0.90976 0.66616 0.46628 0.52819 0.17669 0.58871 0.06501</td></tr>	21 21	17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47 20.67 12.97 17.73 20.88 19.89 26.83 18.94 31.55	0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878 0.47894 0.90976 0.66616 0.46628 0.52819 0.17669 0.58871 0.06501
21 2	17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47 20.67 12.97 17.73 20.88 19.89	0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878 0.47894 0.90976 0.66616 0.46628 0.52819																	
52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76	7 7 <tr td=""> <!--</td--><td>21 21 <td>17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47 20.67 12.97 17.73 20.88 19.89 26.83</td><td>0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878 0.47894 0.90976 0.66616 0.46628 0.52819 0.17669</td></td></tr> <tr><td>52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77</td><td>7 7 <tr td=""> <!--</td--><td>21 21</td><td>17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47 20.67 12.97 17.73 20.88 19.89 26.83 18.94</td><td>0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878 0.47894 0.90976 0.66616 0.46628 0.52819 0.17669 0.58871</td></tr><tr><td>52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78</td><td>7 7 <tr td=""> <!--</td--><td>21 21</td><td>17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47 20.67 12.97 17.73 20.88 19.89 26.83 18.94 31.55</td><td>0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878 0.47894 0.90976 0.66616 0.46628 0.52819 0.17669 0.58871 0.06501</td></tr></td></tr></td></tr>	21 21 <td>17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47 20.67 12.97 17.73 20.88 19.89 26.83</td> <td>0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878 0.47894 0.90976 0.66616 0.46628 0.52819 0.17669</td>	17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47 20.67 12.97 17.73 20.88 19.89 26.83	0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878 0.47894 0.90976 0.66616 0.46628 0.52819 0.17669	52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77	7 7 <tr td=""> <!--</td--><td>21 21</td><td>17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47 20.67 12.97 17.73 20.88 19.89 26.83 18.94</td><td>0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878 0.47894 0.90976 0.66616 0.46628 0.52819 0.17669 0.58871</td></tr> <tr><td>52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78</td><td>7 7 <tr td=""> <!--</td--><td>21 21</td><td>17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47 20.67 12.97 17.73 20.88 19.89 26.83 18.94 31.55</td><td>0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878 0.47894 0.90976 0.66616 0.46628 0.52819 0.17669 0.58871 0.06501</td></tr></td></tr>	21 21	17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47 20.67 12.97 17.73 20.88 19.89 26.83 18.94	0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878 0.47894 0.90976 0.66616 0.46628 0.52819 0.17669 0.58871	52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78	7 7 <tr td=""> <!--</td--><td>21 21</td><td>17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47 20.67 12.97 17.73 20.88 19.89 26.83 18.94 31.55</td><td>0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878 0.47894 0.90976 0.66616 0.46628 0.52819 0.17669 0.58871 0.06501</td></tr>	21 21	17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47 20.67 12.97 17.73 20.88 19.89 26.83 18.94 31.55	0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878 0.47894 0.90976 0.66616 0.46628 0.52819 0.17669 0.58871 0.06501					
21 21 <td>17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47 20.67 12.97 17.73 20.88 19.89 26.83</td> <td>0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878 0.47894 0.90976 0.66616 0.46628 0.52819 0.17669</td>	17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47 20.67 12.97 17.73 20.88 19.89 26.83	0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878 0.47894 0.90976 0.66616 0.46628 0.52819 0.17669																	
52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77	7 7 <tr td=""> <!--</td--><td>21 21</td><td>17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47 20.67 12.97 17.73 20.88 19.89 26.83 18.94</td><td>0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878 0.47894 0.90976 0.66616 0.46628 0.52819 0.17669 0.58871</td></tr> <tr><td>52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78</td><td>7 7 <tr td=""> <!--</td--><td>21 21</td><td>17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47 20.67 12.97 17.73 20.88 19.89 26.83 18.94 31.55</td><td>0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878 0.47894 0.90976 0.66616 0.46628 0.52819 0.17669 0.58871 0.06501</td></tr></td></tr>	21 21	17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47 20.67 12.97 17.73 20.88 19.89 26.83 18.94	0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878 0.47894 0.90976 0.66616 0.46628 0.52819 0.17669 0.58871	52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78	7 7 <tr td=""> <!--</td--><td>21 21</td><td>17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47 20.67 12.97 17.73 20.88 19.89 26.83 18.94 31.55</td><td>0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878 0.47894 0.90976 0.66616 0.46628 0.52819 0.17669 0.58871 0.06501</td></tr>	21 21	17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47 20.67 12.97 17.73 20.88 19.89 26.83 18.94 31.55	0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878 0.47894 0.90976 0.66616 0.46628 0.52819 0.17669 0.58871 0.06501										
21 21	17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47 20.67 12.97 17.73 20.88 19.89 26.83 18.94	0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878 0.47894 0.90976 0.66616 0.46628 0.52819 0.17669 0.58871																	
52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78	7 7 <tr td=""> <!--</td--><td>21 21</td><td>17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47 20.67 12.97 17.73 20.88 19.89 26.83 18.94 31.55</td><td>0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878 0.47894 0.90976 0.66616 0.46628 0.52819 0.17669 0.58871 0.06501</td></tr>	21 21	17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47 20.67 12.97 17.73 20.88 19.89 26.83 18.94 31.55	0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878 0.47894 0.90976 0.66616 0.46628 0.52819 0.17669 0.58871 0.06501															
21 21	17.78 29.70 21.03 11.26 8.67 31.98 19.99 14.47 20.75 27.18 11.52 18.26 17.10 14.51 15.00 15.72 15.91 16.04 18.47 20.67 12.97 17.73 20.88 19.89 26.83 18.94 31.55	0.66318 0.09813 0.45723 0.95752 0.99156 0.05888 0.52210 0.84853 0.47402 0.16489 0.95176 0.63266 0.70494 0.84649 0.82279 0.78538 0.77470 0.76749 0.61878 0.47894 0.90976 0.66616 0.46628 0.52819 0.17669 0.58871 0.06501																	

80	7	21	24.37	0.27556	
81	7	21	23.59	0.31340	
82	7	21	20.35	0.49894	
83	7	21	31.44	0.06662	
84	7	21	17.86	0.65758	
85	7	21	18.86	0.59397	
86	7	21	22.76	0.35667	
87	7	21	16.37	0.74870	
88	7	21	20.86	0.46747	
89	7	21	28.24	0.13345	
90	7	21	16.50	0.74122	
91	7	21	32.02	0.05829	
92	7	21	17.00	0.71139	
93	7	21	9.74	0.98205	
94	7	21	20.22	0.50728	
95	7	21	20.12	0.51372	
96	7	21	21.97	0.40136	
97	7	21	18.34	0.62730	
98	7	21	18.02	0.64758	
99	7	21	30.18	0.08838	
100	7	21	21.49	0.42950	
Combined P-va	alue for all tests	(Using KS meth	od)	0.30864	

1) The P-values are observed probabilities from the Chi-Square tests. The last row shows the result of the KS Test performed on the p-values for all Chi-Square tests, where there are sufficient data.

Test No.	Positions	DOF	ChiSqr	P-Value			
1	7	21	14.42	0.85071			
2	7	21	17.25	0.69597			
3	7	21	32.39	0.05341			
4	7	21	19.10	0.57847			
5	7	21	19.66	0.54262			
6	7	21	23.55	0.31527			
7	7	21	22.36	0.37903			
8	7	21	34.84	0.02937			
Combined P-	Combined P-value for all tests (Using KS method)						

3.2 Poker suits statistics for 36 cards deck:

Notes:

- 1) As the total number of tests (8) is insufficient to perform a meaningful KS Test, individual p-values from these tests are carried over to the next stage for combining using the Holm's method.
- 2) Since the number of games played each month using 36 card decks is small, the number of samples available this month as well as a few previous months were insufficient to perform a meaningful statistical analysis. Hence the analysis performed this month was done using the cumulative data for the last 10 months i.e July 2023 to May 2024.

4. Summary of the analysis

4.1 Summary of the analysis of 52 cards deck:

The analysis of 52 cards completes by combining the result of the KS Test performed in the 3 types of analysis (Hand Types, Ranks and Suits) for 52 card decks using the Holm's method and producing a single Combined P -value.

The combined p-value produced using the Holm's method is used as indication for statistical randomness.

Combination of p-values using Holm's Method			
Test	P-Value	P-Adjusted	
Ranks Test	0.18899	0.56698	
Suits Test	0.30864	0.61728	
Hand Types Test	0.43976	0.61728	
Combined P-Value using Holm's Method		0.56698	

1) The combined p-value of all statistical tests using Holm's Method conducted for 52 card decks is greater than the minimum value of 0.05 which indicates that the randomness of the observed data falls within 95% confidence limits.

The final outcome of the analysis of 52 cards deck indicates that the RNG is working correctly.

4.2 Summary of the analysis of 36 cards deck:

The analysis of 36 cards completes by combining the result of the KS Test performed in the 3 types of analysis (Hand Types, Ranks and Suits) for 36 card decks using the Holm's method and producing a single Combined P -value. Where there is insufficient data the individual Chi-Square tests results are used in the Holm's method for producing a combined p-value.

The combined p-value produced from the using the Holm's method is used as indication for statistical randomness.

Combination of p-values using Holm's Method		
Test	P-Value	P-Adjusted
Ranks Test 1	0.06570	1.00000
Ranks Test 2	0.68714	1.00000
Ranks Test 3	0.74276	1.00000
Ranks Test 4	0.13301	1.00000
Ranks Test 5	<mark>0.87312</mark>	1.00000
Ranks Test 6	0.62888	1.00000
Ranks Test 7	0.15920	1.00000
Ranks Test 8	0.22238	1.00000
Suits Test 1	0.85071	1.00000
Suits Test 2	0.69597	1.00000
Suits Test 3	0.05341	0.90795
Suits Test 4	0.57847	1.00000
Suits Test 5	0.54262	1.00000
Suits Test 6	0.31527	1.00000
Suits Test 7	0.37903	1.00000
Suits Test 8	0.02937	0.52864
Hand Types Test 1	0.14456	1.00000
Hand Types Test 2	0.64633	1.00000
Combined P-Value using Holm's Method		0.52864

Notes:

 The combined p-value of all statistical tests using Holm's Method conducted for 36 card decks is greater than the minimum value of 0.05 which indicates that the randomness of the observed data falls within 95% confidence limits.

2) Since the number of games played each month using 36 card decks is small, the number of samples available this month as well as a few previous months were insufficient to perform a meaningful statistical analysis. Hence the analysis performed this month was done using the cumulative data for the last 10 months - i.e July 2023 to May 2024.

The final outcome of the analysis of 36 cards deck indicates that the RNG is working correctly.

5. Conclusion

Analysis of actual data from game logs for 'Hand Types, 'Ranks' and 'Suits' for **52-card decks** and **36-card decks** indicated statistical randomness.

iTech Labs has done limited sanity checks to verify the integrity of the game logs. iTech Labs also maintains a copy of the game logs for verification purposes. There were a large enough number of game records to give the calculations sufficient statistical power.

We conclude that the Random Number Generator (RNG) is working correctly.

Please click here to see the Original report.

Signed:

Disclaimer.

Alvin Rizaldi Chief Executive Officer iTech Labs Date: 12 June 2024

Signed:

Vinga Bhargava

Divya Bhargava Project Manager iTech Labs Date: 12 June 2024

While it is not possible to test all possible scenarios in a laboratory environment, iTech Labs has conducted a level of testing appropriate for a component test of this type.